## Implementation of Patient Safety Programs in Dr. Ramelan Hospital, Surabaya

# Suriana Health Polytechnic of Ministry of Health in Surabaya, Indonesia

### **Abstract**

Based on Motivati Content Theory, the need will encourage someone to take action in order to achieve their needs. The fulfillment of the need will make a person satisfied, so that training is run on the basis of the needs will enable the achievement of results. The purpose of this study was to describe the implementation of the patient safety program in Dr. Ramelan Hospital, Surabaya, Indonesia. The subjects of this descriptive study was 47 nurses in selected units, in Dr. Ramelan Hospital, Surabaya, Indonesia. Data analysis technique applied was descriptive statistic method that was frequency distribution. Based on the results of the study concluded that the implementation of patient safety programs by nurses in Dr. Ramelan Hospital, Surabaya still has not met expectations.

Keywords: Nurses, Patient safety program

### INTRODUCTION

Currently, the quality of health services has entered the era of patient safety, so patient safety is a top priority in hospital services (Depkes RI, 2006). Implementation of patient safety program can not be separated from the quality of nursing service as part of health professionals. The nursing services provided to the patient will be different if the nurse's level of ability is also different. Nursing competency level in Indonesia based on the formulation of PPNI and Depkes RI (2006) is divided into 5 levels of Clinical Nurses namely CN I, CN II, CN III, CN IV, CN V (Surosa, 2011). This is in line with the "From Novice To Expert" theory proposed by Benner (1984) that nurses are distinguished 5 levels: (1) Novice, (2) Advance Beginner, (3) Competent, (4) Proficient, and (5) Expert (Alligood & Tomey, 2006). Provision of nursing tasks that are not appropriate to the level of ability can lead to errors that threaten patient safety. Increased patient safety incidents, the majority of which are attributable to nursing services, indicate that nurse abilities are needed in the implementation of patient safety programs. Nadler & Nadler (1991) states that improving the quality of human resources must go through three aspects: education, training development. The purpose of this study was to describe the implementation of the patient safety program by nurses in Dr. Ramelan Hospital, Surabaya, Indonesia.

## **METHODS**

The population of this descriptive study was all nurses in selected units, in Dr. Ramelan Hospital, Surabaya, Indonesia. The population size was 47 people, and all of them acted as research respondents (total population). Data analysis technique applied was descriptive statistic method that was frequency distribution, because using categorical data (Nugroho, 2014).

### **RESULTS**

Table 1. Internal Encouragement of Nurses to Implement the Patient Safety Program

Internal Encouragement of Nurses	Frequency	Percentage
Very Good	30	63.9
Good	17	36.1
Moderate	0	0
Bad	0	0
Very Bad	0	0
Total	0	100

Table 2. Assessment of the Implementation of the Patient Safety Program by the Nurse (Knowledge, Implementation, Monitoring, Independence, Smoothness, Skills)

Implementation of the Patient	Very Good		Good		Moderate		Bad		Very Bad	
Safety Program	f	%	f	%	f	%	f	%	f	%
Knowledge	33	70	12	26	2	4	0	0	0	0
Implementation of Tasks	9	19.2	19	40.4	19	40.4	0	0	0	0
Monitoring	9	19.2	14	29.8	18	38.3	6	12.7	0	0
Independence	8	17	20	42.6	19	40.4	0	0	0	0
Smoothness	8	17	23	49	16	34	0	0	0	0
Skills	8	17	22	46.8	17	36.2	0	0	0	0

## **DISCUSSION**

The nurse's knowledge level of the majority patient safety program was in very good category. This may be due to: (1) the nurse has attended training on patient safety, (2) internal motivation from the nurse, (3) age, and (4) work experience. In this case, the nurse's knowledge will be good and excellent if: (1) the nurse is trained on the patient's safety program, (2) the nurse has high internal motivation, (3) the old work experience, and (4) the age.

The implementation of the patient's nurse safety program was still at a moderate level. This shows that the optimization of patient safety program implementation has not materialized as a perfect performance. Patient safety program training that has been done has not been able to completely change the performance of nurses into safety behavior. The above interpretation is based on the function of education and training according to Hamalik (2007) which is improving the work performance of the trainees. Nurses who get a lot of monitoring during the execution of tasks fall into the bad category. There are 6 (12.7%) nurses fall under this category. The results of poor supervision are in nurses with a working period of 2 to 4 years. Poor assessments are given because there is an incomplete implementation of a patient safety program such as (1) increased high-alert medication, (2) assessment of risk reduction for health-care related infections, (3) assessment of risk reduction for injured patients. Nurse independence in the implementation of patient safety program is still in the medium category. Nurses with educational background SPK (senior high school level) are on independent criteria because by chance many duties in the outpatient unit with a minimal patient safety program, while nurses with diploma education

background are in the criteria not independent because the majority of them have a short working pe riod.

The smoothness of the nurses in the implementation of patient safety program is still in the medium category. Smoothness is limited to the 3rd and 6th objectives of improving the safety of drugs that need to be watched and the risk reduction of injured patients. The smoothness of nurses in performing nursing actions determines the speed with which nursing outcomes are achieved. This is in accordance with the third nursing standard that is the identification of the results, with one of the measurements that is the estimated time of achieve ment.

Skills of nurses in the implementation of patient safety program is still in the moderate category. Skills are a major aspect in the implementation of nursing care. The above is based on the fifth standard of the nursing standard that nursing actions should be carried out safely and appropriately

## **CONCLUSION**

Based on the results of the study concluded that the implementation of patient safety programs by nurses in Dr. Ramelan Hospital, Surabaya still has not met expectations.

### REFERENCES

Alligood, M.R., Tomey, AN., 2006. Nursing Theorists And Their Work, seventh edition, Mosby Elsevier, Philadelphia.

Depkes RI, 2006. National Free Hospital Patient Safety (Safety Pasient) http://www.scribd.com/doc/49308683/KPRS, downloaded stairs January 25, 2012.

Hamalik, O., 2007. Employment training management integrated approach: the development of Human Resources. Jakarta: Earth Literacy.

Nadler, L., Nadler, Z., 1991. Developing Human Resources. 3rd ed. San Francisco: Jossey-Bass.

Nugroho, H. S. W., 2014. Analisis Data Secara Deskriptif untuk Data Kategorik. Ponorogo: Forum Ilmiah Kesehatan (Forikes)

Surosa, J., 2011. Structuring Career Based Competence to improve job satisfaction and nurse at the Hospital Performance, explanation Journal Volume 6 No. 2 Issue September 2011.

## Implementation of Patient Safety Programs in Dr. Ramelan Hospital, Surabaya

Suriana Health Polytechnic of Ministry of Health in Surabaya, Indonesia

### **Abstract**

Based on Motivati Content Theory, the need will encourage someone to take action in order to achieve their needs. The fulfillment of the need will make a person satisfied, so that training is run on the basis of the needs will enable the achievement of results. The purpose of this study was to describe the implementation of the patient safety program in Dr. Ramelan Hospital, Surabaya, Indonesia. The subjects of this descriptive study was 47 nurses in selected units, in Dr. Ramelan Hospital, Surabaya, Indonesia. Data analysis technique applied was descriptive statistic method that was frequency distribution. Based on the results of the study concluded that the implementation of patient safety programs by nurses in Dr. Ramelan Hospital, Surabaya still has not met expectations.

Keywords: Nurses, Patient safety program

### INTRODUCTION

Currently, the quality of health services has entered the era of patient safety, so patient safety is a top priority in hospital services (Depkes RI, 2006). Implementation of patient safety program can not be separated from the quality of nursing service as part of health professionals. The nursing services provided to the patient will be different if the nurse's level of ability is also different. Nursing competency level in Indonesia based on the formulation of PPNI and Depkes RI (2006) is divided into 5 levels of Clinical Nurses namely CN I, CN II, CN III, CN IV, CN V (Surosa, 2011). This is in line with the "From Novice To Expert" theory proposed by Benner (1984) that nurses are distinguished 5 levels: (1) Novice, (2) Advance Beginner, (3) Competent, (4) Proficient, and (5) Expert (Alligood & Tomey, 2006). Provision of nursing tasks that are not appropriate to the level of ability can lead to errors that threaten patient safety. Increased patient safety incidents, the majority of which are attributable to nursing services, indicate that nurse abilities are needed in the implementation of patient safety programs. Nadler & Nadler (1991) states that improving the quality of human resources must go through three aspects: education, training development. The purpose of this study was to describe the implementation of the patient safety program by nurses in Dr. Ramelan Hospital, Surabaya, Indonesia.

# **METHODS**

The population of this descriptive study was all nurses in selected units, in Dr. Ramelan Hospital, Surabaya, Indonesia. The population size was 47 people, and all of them acted as research respondents (total population). Data analysis technique applied was descriptive statistic method that was frequency distribution, because using categorical data (Nugroho, 2014).

### **RESULTS**

Table 1. Internal Encouragement of Nurses to Implement the Patient Safety Program

Internal Encouragement of Nurses	Frequency	Percentage
Very Good	30	63.9
Good	17	36.1
Moderate	0	0
Bad	0	0
Very Bad	0	0
Total	0	100

Table 2. Assessment of the Implementation of the Patient Safety Program by the Nurse (Knowledge, Implementation, Monitoring, Independence, Smoothness, Skills)

Implementation of the Patient	Very Good		Good		Moderate		Bad		Very Bad	
Safety Program	f	%%	f	%%	f	%%	f	%%	f	%%
Knowledge	33	70	12	26	2	4	0	0	0	0
Implementation of Tasks	9	19.2	19	40.4	19	40.4	0	0	0	0
Monitoring	9	19.2	14	29.8	18	38.3	6	12.7	0	0
Independence	8	17	20	42.6	19	40.4	0	0	0	0
Smoothness	8	17	23	49	16	34	0	0	0	0
Skills	8	17	22	46.8	17	36.2	0	0	0	0

### **DISCUSSION**

The nurse's knowledge level of the majority patient safety program was in very good category. This may be due to: (1) the nurse has attended training on patient safety, (2) internal motivation from the nurse, (3) age, and (4) work experience. In this case, the nurse's knowledge will be good and excellent if: (1) the nurse is trained on the patient's safety program, (2) the nurse has high internal motivation, (3) the old work experience, and (4) the age.

The implementation of the patient's nurse safety program was still at a moderate level. This shows that the optimization of patient safety program implementation has not materialized as a perfect performance. Patient safety program training that has been done has not been able to completely change the performance of nurses into safety behavior. The above interpretation is based on the function of education and training according to Hamalik (2007) which is improving the work performance of the trainees. Nurses who get a lot of monitoring during the execution of tasks fall into the bad category. There are 6 (12.7%) nurses fall under this category. The results of poor supervision are in nurses with a working period of 2 to 4 years. Poor assessments are given because there is an incomplete implementation of a patient safety program such as (1) increased high-alert medication, (2) assessment of risk reduction for health-care related infections, (3) assessment of risk reduction for injured patients. Nurse independence in the implementation of patient safety program is still in the medium category. Nurses with educational background SPK (senior high school level) are on independent criteria because by chance many duties in the

**Comment [U1]:** side technique is not appropriate

**Comment [U2]:** side technique is not appropriate

**Comment [U3]:** make sure the citations are in accordance with the bibliography

outpatient unit with a minimal patient safety program, while nurses with diploma education background are in the criteria not independent because the majority of them have a short working pe riod.

The smoothness of the nurses in the implementation of patient safety program is still in the medium category. Smoothness is limited to the 3rd and 6th objectives of improving the safety of drugs that need to be watched and the risk reduction of injured patients. The smoothness of nurses in performing nursing actions determines the speed with which nursing outcomes are achieved. This is in accordance with the third nursing standard that is the identification of the results, with one of the measurements that is the estimated time of achieve ment.

Skills of nurses in the implementation of patient safety program is still in the moderate category. Skills are a major aspect in the implementation of nursing care. The above is based on the fifth standard of the nursing standard that nursing actions should be carried out safely and appropriately

## **CONCLUSION**

Based on the results of the study concluded that the implementation of patient safety programs by nurses in Dr. Ramelan Hospital, Surabaya still has not met expectations.

## **REFERENCES**

Alligood, M.R., Tomey, AN., 2006. Nursing Theorists And Their Work, seventh edition, Mosby Elsevier, Philadelphia.

Depkes RI, 2006. National Free Hospital Patient Safety (Safety Pasient) http://www.scribd.com/doc/49308683/KPRS, downloaded stairs January 25, 2012.

Hamalik, O., 2007. Employment training management integrated approach: the development of Human Resources. Jakarta: Earth Literacy.

Nadler, L., Nadler, Z., 1991. Developing Human Resources. 3rd ed. San Francisco: Jossey-Bass

Nugroho, H. S. W., 2014. Analisis Data Secara Deskriptif untuk Data Kategorik. Ponorogo: Forum Ilmiah Kesehatan (Forikes)

Surosa, J., 2011. Structuring Career Based Competence to improve job satisfaction and nurse at the Hospital Performance, explanation Journal Volume 6 No. 2 Issue September 2011.

Suriana Health Polytechnic of Ministry of Health in Surabaya, Indonesia 10<sup>th</sup> Juny, 2017

Dear Sir/Madam

## LETTER OF ACCEPTANCE

Dama Academic Scholarly & Scientific Research Society wish to inform you that your paper titled: Implementation of Patient Safety Programs in Dr. Ramelan Hospital, Surabaya has been accepted by Dama Academic Scholarly & Scientific Research Society for publication in Scientific Journal of Health Science (<a href="https://damaacademia.com/sjhs">https://damaacademia.com/sjhs</a>) Volume 2, Issue 6, 2017 with paper reference code: SJHS-021-01-002

Dama Academic Scholarly & Scientific Research Society Journals are endeavors monthly, international, peer review and refereed journal published with the aim to provide an online publishing platform to link academia, researchers, business and industry to publish their original works to promote and disseminate knowledge in the complex multi-disciplinary, Project Management, Mathematics & Science, Procurement, Logistics & Supply Chain Management, Engineering & Pharmaceutical Science, Finance & Management Engineering, Arts & Humanities, and Health Science.

Remember neither has the manuscript nor one with substantially similar content under been published nor is being considered for publication elsewhere, except as described. **The processing fees per paper is \$100 excluding transfer changes.** 

All payment made receipt should be email to the Society Executive Director on <a href="mailto:editor@damaacademia.com">editor@damaacademia.com</a>. The processing fees of the accepted paper(s) should be paid through the following details and remember the cost is excluding transfer charges.

- Money Transfer: **David Ackah**: Dama Academic Scholarly & Scientific Research Society | Accra, Ghana | Mob: +233 (0) 233 715 697 | ID No.: 5498006252
- Interbank Transfer: Dama Academic Scholarly & Scientific Research Society | Account Number: 1050027396322 | Bankers: Fidelity Bank Ghana Ltd, Adenta Branch | SWIFT CODE: FBLIGHAC.

The Editor in Chief and Editorial Board members of the Journal appreciate your effort on the intellectual contribution of your paper.

Thank you.

Yours faithfully,

The Society Executive Director David Ackah, PhD. C. Prof (Certified Professor - QAHE) Web: www.damaacademia.com

Email Manuscript | Submit Online | Home | About Us Author Guidelines | Publication Ethics | Plagiarism Policy

All Journals of Dama Academic Scholarly & Scientific Research Society work is licensed under a Creative Commons Attribution 4.0 International License.